

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

## Sikasil® WT-485 Part B



Revision Date: 06.03.2026

Version 8.0

Print Date 06.03.2026

Date of last issue: 24.03.2025

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Trade name : Sikasil® WT-485 Part B

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use : Catalyst for 2 Comp. sealants/adhesives.

#### 1.3 Details of the supplier of the safety data sheet

Company name of supplier : Sika Hellas ABEE  
15 Protomagias Street  
145 68 Kryoneri / Athens  
Telephone : +30 210 81 60 600  
Telefax : +30 210 81 60 606  
E-mail address of person : EHS@gr.sika.com  
responsible for the SDS

#### 1.4 Emergency telephone number

Poison Information Center + 30 210 77 93 777  
Poison Information Center: 1401 (Cyprus)

### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

##### Classification (REGULATION (EC) No 1272/2008)

|                                                                |                                                                                  |
|----------------------------------------------------------------|----------------------------------------------------------------------------------|
| Acute toxicity, Category 4                                     | H302: Harmful if swallowed.                                                      |
| Serious eye damage, Category 1                                 | H318: Causes serious eye damage.                                                 |
| Skin sensitisation, Category 1                                 | H317: May cause an allergic skin reaction.                                       |
| Specific target organ toxicity - repeated exposure, Category 1 | H372: Causes damage to organs through prolonged or repeated exposure if inhaled. |
| Long-term (chronic) aquatic hazard, Category 3                 | H412: Harmful to aquatic life with long lasting effects.                         |

#### 2.2 Label elements

##### Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms :



Signal word : Danger

Hazard statements : H302 Harmful if swallowed.  
H317 May cause an allergic skin reaction.  
H318 Causes serious eye damage.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

## Sikasil® WT-485 Part B



Revision Date: 06.03.2026  
Date of last issue: 24.03.2025

Version 8.0

Print Date 06.03.2026

- |      |                                                                            |
|------|----------------------------------------------------------------------------|
| H372 | Causes damage to organs through prolonged or repeated exposure if inhaled. |
| H412 | Harmful to aquatic life with long lasting effects.                         |

Precautionary statements : **Prevention:**

- |      |                                                          |
|------|----------------------------------------------------------|
| P260 | Do not breathe mist or vapours.                          |
| P264 | Wash skin thoroughly after handling.                     |
| P273 | Avoid release to the environment.                        |
| P280 | Wear protective gloves/ eye protection/ face protection. |

**Response:**

- |                           |                                                                                                                                                                            |
|---------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| P305 + P351 + P338 + P310 | IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor. |
| P314                      | Get medical advice/ attention if you feel unwell.                                                                                                                          |

**Hazardous components which must be listed on the label:**

4,4,7,7-tetraethoxy-3,8-dioxo-4,7-disiladecane  
N-[3-(triethoxysilyl)propyl]ethylenediamine

### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

## Sikasil® WT-485 Part B



Revision Date: 06.03.2026

Version 8.0

Print Date 06.03.2026

Date of last issue: 24.03.2025

### SECTION 3: Composition/information on ingredients

#### 3.2 Mixtures

##### Components

| Chemical name                                                                                                                                                                                                                                                     | CAS-No.<br>EC-No.<br>Index-No.<br>Registration number | Classification                                                                                                                                                                                          | Concentration<br>(% w/w) |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------|
| 4,4,7,7-tetraethoxy-3,8-dioxo-4,7-disiladecane                                                                                                                                                                                                                    | 16068-37-4<br>240-212-2<br>01-2120764364-51-XXXX      | Acute Tox. 3; H301<br>Acute Tox. 4; H312<br>STOT RE 1; H372<br>Aquatic Chronic 3; H412<br><br>Acute toxicity estimate<br><br>Acute oral toxicity:<br>161 mg/kg<br>Acute dermal toxicity:<br>1.971 mg/kg | >= 20 - < 25             |
| N-[3-(triethoxysilyl)propyl]ethylenediamine<br>Contains:<br>N,N'-bis[3-(triethoxysilyl)propyl]ethylenediamine >= 3 - <= 5 %<br>N1,N1-Bis[3-(triethoxysilyl)propyl]-1,2-ethanediamine >= 3 - <= 5 %<br>di-aminoethylaminopropyltetraethoxydisiloxane >= 3 - <= 5 % | 5089-72-5<br>225-806-1<br>01-2120767929-30-XXXX       | Skin Irrit. 2; H315<br>Eye Dam. 1; H318<br>Skin Sens. 1; H317                                                                                                                                           | >= 5 - < 10              |
| bis(trimethoxysilyl)propylamine<br>Contains:<br>methanol <= 0,3 %                                                                                                                                                                                                 | 82985-35-1<br>280-084-5<br>01-2119969956-12-XXXX      | Eye Dam. 1; H318                                                                                                                                                                                        | >= 5 - < 10              |
| 1,2-Bis(triethoxysilyl)ethene                                                                                                                                                                                                                                     | 87061-56-1<br>Not Assigned                            | Acute Tox. 3; H301<br>Acute Tox. 4; H312<br>Aquatic Chronic 3; H412<br>EUH071<br><br>Acute toxicity estimate<br><br>Acute oral toxicity:<br>161 mg/kg<br>Acute dermal toxicity:<br>1.971 mg/kg          | >= 2,5 - < 5             |

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

## Sikasil® WT-485 Part B



Revision Date: 06.03.2026

Version 8.0

Print Date 06.03.2026

Date of last issue: 24.03.2025

|                                                                        |                                                 |                                             |              |
|------------------------------------------------------------------------|-------------------------------------------------|---------------------------------------------|--------------|
| [3-(2,3-epoxypropyl)trimethoxysilane<br>Contains:<br>methanol <= 0,2 % | 2530-83-8<br>219-784-2<br>01-2119513212-58-XXXX | Eye Dam. 1; H318<br>Aquatic Chronic 3; H412 | >= 1 - < 2,5 |
|------------------------------------------------------------------------|-------------------------------------------------|---------------------------------------------|--------------|

For explanation of abbreviations see section 16.

## SECTION 4: First aid measures

### 4.1 Description of first aid measures

- General advice : Move out of dangerous area.  
Consult a physician.  
Show this safety data sheet to the doctor in attendance.
- If inhaled : Move to fresh air.  
Consult a physician after significant exposure.
- In case of skin contact : Take off contaminated clothing and shoes immediately.  
Wash off with soap and plenty of water.  
If symptoms persist, call a physician.
- In case of eye contact : Small amounts splashed into eyes can cause irreversible tissue damage and blindness.  
In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.  
Continue rinsing eyes during transport to hospital.  
Remove contact lenses.  
Keep eye wide open while rinsing.
- If swallowed : Do not induce vomiting without medical advice.  
Rinse mouth with water.  
Do not give milk or alcoholic beverages.  
Never give anything by mouth to an unconscious person.

### 4.2 Most important symptoms and effects, both acute and delayed

- Symptoms : Gastrointestinal discomfort  
Allergic reactions  
Excessive lachrymation  
See Section 11 for more detailed information on health effects and symptoms.
- Risks : irritant effects  
sensitising effects
- Harmful if swallowed.  
May cause an allergic skin reaction.  
Causes serious eye damage.  
Causes damage to organs through prolonged or repeated exposure if inhaled.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

## Sikasil® WT-485 Part B



Revision Date: 06.03.2026  
Date of last issue: 24.03.2025

Version 8.0

Print Date 06.03.2026

### 4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically.

---

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

Suitable extinguishing media : In case of fire, use water/water spray/water jet/carbon dioxide/sand/foam/alcohol resistant foam/chemical powder for extinction.

### 5.2 Special hazards arising from the substance or mixture

Hazardous combustion products : No hazardous combustion products are known

### 5.3 Advice for firefighters

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.

Further information : Standard procedure for chemical fires.

---

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Use personal protective equipment.  
Deny access to unprotected persons.

### 6.2 Environmental precautions

Environmental precautions : Do not flush into surface water or sanitary sewer system.  
If the product contaminates rivers and lakes or drains inform respective authorities.

### 6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).  
Keep in suitable, closed containers for disposal.

### 6.4 Reference to other sections

For personal protection see section 8.

---

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

Country GR 000000603825

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

## Sikasil® WT-485 Part B



Revision Date: 06.03.2026  
Date of last issue: 24.03.2025

Version 8.0

Print Date 06.03.2026

- Advice on safe handling : Avoid exceeding the given occupational exposure limits (see section 8).  
Do not get in eyes, on skin, or on clothing.  
For personal protection see section 8.  
Persons with a history of skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used.  
Smoking, eating and drinking should be prohibited in the application area.  
Follow standard hygiene measures when handling chemical products
- Advice on protection against fire and explosion : Normal measures for preventive fire protection.
- Hygiene measures : Handle in accordance with good industrial hygiene and safety practice. When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.

### 7.2 Conditions for safe storage, including any incompatibilities

- Requirements for storage areas and containers : Keep container tightly closed in a dry and well-ventilated place. Store in accordance with local regulations.
- Further information on storage stability : No decomposition if stored and applied as directed.

### 7.3 Specific end use(s)

- Specific use(s) : Consult most current local Product Data Sheet prior to any use.

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

#### Occupational Exposure Limits

Contains no substances with occupational exposure limit values.

#### Occupational exposure limits of decomposition products

| Components                                                                                                                                                                                                 | CAS-No. | Value type (Form of exposure) | Control parameters *                 | Basis *    |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|-------------------------------|--------------------------------------|------------|
| ethanol                                                                                                                                                                                                    | 64-17-5 | TWA                           | 1.000 ppm<br>1.900 mg/m <sup>3</sup> | GR OEL     |
| methanol                                                                                                                                                                                                   | 67-56-1 | TWA                           | 200 ppm<br>260 mg/m <sup>3</sup>     | 2006/15/EC |
| Further information: Indicative, Identifies the possibility of significant uptake through the skin                                                                                                         |         |                               |                                      |            |
|                                                                                                                                                                                                            |         | TWA                           | 200 ppm<br>260 mg/m <sup>3</sup>     | GR OEL     |
| Further information: The notation 'skin' (D), pointing out certain chemical factors of the table of paragraph of 1 article 3, implies the likely contribution to of these chemical factors to the quantity |         |                               |                                      |            |

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

## Sikasil® WT-485 Part B



Revision Date: 06.03.2026

Version 8.0

Print Date 06.03.2026

Date of last issue: 24.03.2025

|  |                                                                                              |      |                                  |        |
|--|----------------------------------------------------------------------------------------------|------|----------------------------------|--------|
|  | of exposure to workers which are absorbed through the skin at the direct contact with these. |      |                                  |        |
|  |                                                                                              | STEL | 250 ppm<br>325 mg/m <sup>3</sup> | GR OEL |

\*The above mentioned values are in accordance with the legislation in effect at the date of the release of this safety data sheet.

### 8.2 Exposure controls

#### Appropriate engineering controls

Maintain air concentrations below occupational exposure standards.

Ensure adequate ventilation, especially in confined areas.

#### Individual protection measures, such as personal protective equipment (PPE)

- Eye/face protection : Safety glasses with side-shields conforming to EN166
- Hand protection : Chemical-resistant, impervious gloves complying with an approved standard must be worn at all times when handling chemical products. Reference number EN 374. Follow manufacturer specifications.  
Suitable for short time use or protection against splashes:  
Butyl rubber/nitrile rubber gloves (> 0,1 mm)  
Contaminated gloves should be removed.  
Suitable for permanent exposure:  
Viton gloves (0.4 mm),  
breakthrough time >30 min.
- Skin and body protection : Protective clothing (e.g. Safety shoes acc. to EN ISO 20345, long-sleeved working clothing, long trousers). Rubber aprons and protective boots are additionally recommended for mixing and stirring work.
- Respiratory protection : In case of inadequate ventilation wear respiratory protection. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.  
organic vapor filter (Type A)  
A1: < 1000 ppm; A2: < 5000 ppm; A3: < 10000 ppm  
Ensure adequate ventilation. This can be achieved by local exhaust extraction or by general ventilation. (EN 689 - Methods for determining inhalation exposure). This applies in particular to the mixing / stirring area. In case this is not sufficient to keep the concentrations under the occupational exposure limits then respiration protection measures must be used.

#### Environmental exposure controls

- General advice : Do not flush into surface water or sanitary sewer system.  
If the product contaminates rivers and lakes or drains inform respective authorities.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

## Sikasil® WT-485 Part B



Revision Date: 06.03.2026

Version 8.0

Print Date 06.03.2026

Date of last issue: 24.03.2025

Physical state : solid  
Form : paste  
Colour : black  
Odour : very faint

Melting point/ range / Freezing point : No data available

Boiling point/boiling range : No data available

Flammability (solid, gas) : No data available

### Upper/lower flammability or explosive limits

Upper explosion limit / Upper flammability limit : No data available

Lower explosion limit / Lower flammability limit : No data available

Flash point : Not applicable

Auto-ignition temperature : No data available

Decomposition temperature : No data available

pH : ca. 8 - 10  
Concentration: 100 %

### Viscosity

Viscosity, dynamic : ca. 450 mPa.s (20 °C)

Viscosity, kinematic : > 20,5 mm<sup>2</sup>/s (40 °C)

### Solubility(ies)

Water solubility : No data available

Partition coefficient: n-octanol/water : No data available

Vapour pressure : 0,01 hPa

Density : ca. 1,06 g/cm<sup>3</sup> (20 °C)

Relative vapour density : No data available

Particle characteristics : No data available

## 9.2 Other information

Flammable solids : > 120 s  
Burning rate : Method: UN-Test N1

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

## Sikasil® WT-485 Part B



Revision Date: 06.03.2026  
Date of last issue: 24.03.2025

Version 8.0

Print Date 06.03.2026

---

### SECTION 10: Stability and reactivity

#### 10.1 Reactivity

No dangerous reaction known under conditions of normal use.

#### 10.2 Chemical stability

The product is chemically stable.

#### 10.3 Possibility of hazardous reactions

Hazardous reactions : No hazards to be specially mentioned.

#### 10.4 Conditions to avoid

Conditions to avoid : No data available

#### 10.5 Incompatible materials

Materials to avoid : No data available

#### 10.6 Hazardous decomposition products

Hazardous decomposition products : ethanol, methanol

---

### SECTION 11: Toxicological information

#### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

##### Acute toxicity

Harmful if swallowed.

##### Components:

##### **4,4,7,7-tetraethoxy-3,8-dioxo-4,7-disiladecane:**

Acute oral toxicity : LD50 Oral (Rat): 161 mg/kg

Acute toxicity estimate: 161 mg/kg  
Method: Calculation method

Acute dermal toxicity : LD50 Dermal (Rat): 1.971 mg/kg

Acute toxicity estimate: 1.971 mg/kg  
Method: Calculation method

##### **bis(trimethoxysilylpropyl)amine:**

Acute oral toxicity : LD50 Oral (Rat): 3.780 mg/kg

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

## Sikasil® WT-485 Part B



Revision Date: 06.03.2026

Version 8.0

Print Date 06.03.2026

Date of last issue: 24.03.2025

Acute dermal toxicity : LD50 Dermal (Rabbit): 11.865 mg/kg

### **1,2-Bis(triethoxysilyl)ethene:**

Acute oral toxicity : LD50 Oral (Rat): 161 mg/kg

Acute toxicity estimate: 161 mg/kg  
Method: Calculation method

Acute inhalation toxicity : Assessment: Corrosive to the respiratory tract.

Acute dermal toxicity : LD50 Dermal (Rat): 1.971 mg/kg

Acute toxicity estimate: 1.971 mg/kg  
Method: Calculation method

### **[3-(2,3-epoxypropoxy)propyl]trimethoxysilane:**

Acute oral toxicity : LD50 Oral (Rat): 7.010 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 5,3 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist

Acute dermal toxicity : LD50 Dermal (Rabbit): 4.248 mg/kg

### **Skin corrosion/irritation**

Not classified due to lack of data.

### **Serious eye damage/eye irritation**

Causes serious eye damage.

### **Respiratory or skin sensitisation**

#### **Skin sensitisation**

May cause an allergic skin reaction.

#### **Respiratory sensitisation**

Not classified due to lack of data.

#### **Germ cell mutagenicity**

Not classified due to lack of data.

#### **Carcinogenicity**

Not classified due to lack of data.

#### **Reproductive toxicity**

Not classified due to lack of data.

#### **STOT - single exposure**

Not classified due to lack of data.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

## Sikasil® WT-485 Part B



Revision Date: 06.03.2026  
Date of last issue: 24.03.2025

Version 8.0

Print Date 06.03.2026

### STOT - repeated exposure

Causes damage to organs through prolonged or repeated exposure if inhaled.

### Aspiration hazard

Not classified due to lack of data.

## 11.2 Information on other hazards

### Endocrine disrupting properties

Not classified due to lack of data.

### Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

## SECTION 12: Ecological information

### 12.1 Toxicity

#### Components:

#### **N-[3-(triethoxysilyl)propyl]ethylenediamine:**

Toxicity to fish (Chronic toxicity) : LC50: 597 mg/l  
Exposure time: 96 h  
Species: Danio rerio (zebra fish)

#### **bis(trimethoxysilylpropyl)amine:**

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 130 mg/l  
Exposure time: 96 h

NOEC (Oncorhynchus mykiss (rainbow trout)): 100 mg/l

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 100 mg/l  
Exposure time: 48 h

Toxicity to algae/aquatic plants : EC50 (Desmodesmus subspicatus (green algae)): > 100 mg/l  
Exposure time: 72 h

#### **[3-(2,3-epoxypropoxy)propyl]trimethoxysilane:**

Toxicity to fish : LC50 (Cyprinus carpio (Carp)): 55 mg/l  
Exposure time: 96 h

### 12.2 Persistence and degradability

No data available

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

## Sikasil® WT-485 Part B



Revision Date: 06.03.2026

Version 8.0

Print Date 06.03.2026

Date of last issue: 24.03.2025

### 12.3 Bioaccumulative potential

No data available

### 12.4 Mobility in soil

No data available

### 12.5 Results of PBT and vPvB assessment

#### Product:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

### 12.6 Endocrine disrupting properties

#### Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

### 12.7 Other adverse effects

#### Product:

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.  
Harmful to aquatic life with long lasting effects.

---

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

Product : The generation of waste should be avoided or minimized wherever possible.  
Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe way.  
Dispose of surplus and non-recyclable products via a licensed waste disposal contractor.  
Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements.  
Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

European Waste Catalogue : 08 04 09\* waste adhesives and sealants containing organic solvents or other dangerous substances

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

## Sikasil® WT-485 Part B



Revision Date: 06.03.2026  
Date of last issue: 24.03.2025

Version 8.0

Print Date 06.03.2026

Contaminated packaging : 15 01 10\* packaging containing residues of or contaminated by dangerous substances

---

### SECTION 14: Transport information

#### 14.1 UN number or ID number

ADR : Not regulated as a dangerous good  
IMDG : Not regulated as a dangerous good  
IATA : Not regulated as a dangerous good

#### 14.2 UN proper shipping name

ADR : Not regulated as a dangerous good  
IMDG : Not regulated as a dangerous good  
IATA : Not regulated as a dangerous good

#### 14.3 Transport hazard class(es)

ADR : Not regulated as a dangerous good  
IMDG : Not regulated as a dangerous good  
IATA : Not regulated as a dangerous good

#### 14.4 Packing group

ADR : Not regulated as a dangerous good  
IMDG : Not regulated as a dangerous good  
IATA (Cargo) : Not regulated as a dangerous good  
IATA (Passenger) : Not regulated as a dangerous good

#### 14.5 Environmental hazards

Not regulated as a dangerous good

#### 14.6 Special precautions for user

Not applicable

#### 14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

---

### SECTION 15: Regulatory information

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

International Chemical Weapons Convention (CWC) : Not applicable  
Schedules of Toxic Chemicals and Precursors

REACH Information: All substances contained in our Products are

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

## Sikasil® WT-485 Part B



Revision Date: 06.03.2026

Version 8.0

Print Date 06.03.2026

Date of last issue: 24.03.2025

- registered by our upstream suppliers, and/or
- registered by us, and/or
- excluded from the regulation, and/or
- exempted from the registration.

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII) : Conditions of restriction for the following entries should be considered:  
Number on list 3

Number on list 20: dioctyltin oxide

Number on list 75

REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59). : None of the components are listed  
(=> 0.1 %).

REACH - List of substances subject to authorisation (Annex XIV) : Not applicable

Regulation (EU) No 2024/590 on substances that deplete the ozone layer : Not applicable

Regulation (EU) 2019/1021 on persistent organic pollutants (recast) : Not applicable

Regulation (EU) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals : Not applicable

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.  
Not applicable

Volatile organic compounds : Ordinance on the Incentive Tax on Volatile Organic Compounds (OVOC)  
Volatile organic compounds (VOC) content: 0,02% w/w  
no VOC duties

Directive 2010/75/EU of 24 November 2010 on industrial and livestock rearing emissions (integrated pollution prevention and control)  
Volatile organic compounds (VOC) content: 0,02% w/w

### 15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

## Sikasil® WT-485 Part B



Revision Date: 06.03.2026

Version 8.0

Print Date 06.03.2026

Date of last issue: 24.03.2025

### SECTION 16: Other information

#### Full text of H-Statements

|      |                                                                              |
|------|------------------------------------------------------------------------------|
| H301 | : Toxic if swallowed.                                                        |
| H312 | : Harmful in contact with skin.                                              |
| H315 | : Causes skin irritation.                                                    |
| H317 | : May cause an allergic skin reaction.                                       |
| H318 | : Causes serious eye damage.                                                 |
| H372 | : Causes damage to organs through prolonged or repeated exposure if inhaled. |
| H412 | : Harmful to aquatic life with long lasting effects.                         |

#### Full text of other abbreviations

|                  |                                                                                                                                                                                                                                        |
|------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Acute Tox.       | : Acute toxicity                                                                                                                                                                                                                       |
| Aquatic Chronic  | : Long-term (chronic) aquatic hazard                                                                                                                                                                                                   |
| Eye Dam.         | : Serious eye damage                                                                                                                                                                                                                   |
| Skin Irrit.      | : Skin irritation                                                                                                                                                                                                                      |
| Skin Sens.       | : Skin sensitisation                                                                                                                                                                                                                   |
| STOT RE          | : Specific target organ toxicity - repeated exposure                                                                                                                                                                                   |
| 2006/15/EC       | : Europe. Indicative occupational exposure limit values                                                                                                                                                                                |
| GR OEL           | : Greece. Exposure limit values                                                                                                                                                                                                        |
| 2006/15/EC / TWA | : Limit Value - eight hours                                                                                                                                                                                                            |
| GR OEL / TWA     | : Long term exposure limit                                                                                                                                                                                                             |
| GR OEL / STEL    | : Short term exposure limit                                                                                                                                                                                                            |
| ADR              | : European Agreement concerning the International Carriage of Dangerous Goods by Road                                                                                                                                                  |
| CAS              | : Chemical Abstracts Service                                                                                                                                                                                                           |
| DNEL             | : Derived no-effect level                                                                                                                                                                                                              |
| EC50             | : Half maximal effective concentration                                                                                                                                                                                                 |
| GHS              | : Globally Harmonized System                                                                                                                                                                                                           |
| IATA             | : International Air Transport Association                                                                                                                                                                                              |
| IMDG             | : International Maritime Code for Dangerous Goods                                                                                                                                                                                      |
| LD50             | : Median lethal dosis (the amount of a material, given all at once, which causes the death of 50% (one half) of a group of test animals)                                                                                               |
| LC50             | : Median lethal concentration (concentrations of the chemical in air that kills 50% of the test animals during the observation period)                                                                                                 |
| MARPOL           | : International Convention for the Prevention of Pollution from Ships, 1973 as modified by the Protocol of 1978                                                                                                                        |
| OEL              | : Occupational Exposure Limit                                                                                                                                                                                                          |
| PBT              | : Persistent, bioaccumulative and toxic                                                                                                                                                                                                |
| PNEC             | : Predicted no effect concentration                                                                                                                                                                                                    |
| REACH            | : Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency |
| SVHC             | : Substances of Very High Concern                                                                                                                                                                                                      |
| vPvB             | : Very persistent and very bioaccumulative                                                                                                                                                                                             |

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

## Sikasil® WT-485 Part B



Revision Date: 06.03.2026  
Date of last issue: 24.03.2025

Version 8.0

Print Date 06.03.2026

### Further information

#### Classification of the mixture:

|                   |      |
|-------------------|------|
| Acute Tox. 4      | H302 |
| Eye Dam. 1        | H318 |
| Skin Sens. 1      | H317 |
| STOT RE 1         | H372 |
| Aquatic Chronic 3 | H412 |

#### Classification procedure:

|                    |
|--------------------|
| Calculation method |
| Calculation method |
| Calculation method |
| Calculation method |
| Calculation method |

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

|| Changes as compared to previous version !

GR / EN